



# BEST PACKAGING®



**Certified Refurbished  
Wexxar Bel®  
Bel 505  
Semi-Automatic Case Erector**

**Best Packaging Inc  
(888) 930-BEST  
BestPackaging.com**

## Certified Refurbished Wexxar Bel<sup>®</sup> 505 Semi-Automatic Case Sealer

With the Bel 505 semi-automatic case sealer, one man can do it all. That is to say the compact and ergonomic design makes it possible for a single employee to form, pack, and seal with minimal repetitive strain injury issues.

**Designed for manual case-packing lines**



**Compact**

**Integrates  
with any  
Wexxar Bel  
case sealer**

**Ergonomic**

**Change case  
size in two  
steps**

The detail of the product(s), descriptions or specifications (for example weight, color, size, etc.) are only approximate values based upon a "standard model" of the representative product(s)/feature(s). There may be slight variations in the actual product design, dimensions, and functionality as compared to the information shown on our website and/or any supplementary product documentation, including but not limited to product brochures and spec sheets.

## Design Features

- Forms cases without using center line dead plate
- Erected cases are stationed on roller deck for transfer to case sealer
- Protects against accidental starting using three-point switch actuation
- Case changeover without any tools in 60 seconds
- Power folding system folds all bottom flaps
- Folding with pneumatic flap “pre-openers” to keep bottom flaps aligned
- Keep box in place for hands-free case loading using positive mechanical case hold-down mechanism
- Integrates with any Wexxar Bel case sealer
- Stainless steel covers, no painted surfaces aid in simple maintenance
- Corrosion resistant construction

## Machine Specifications


Case Size Range	Length	Width	Height
Minimum	8" 203 mm	6" 152 mm	3 1/2" 89 mm
Maximum	26 1/2" 672 mm	16" 406 mm	19 1/2" 495 mm
Infeed/Outfeed Height (with adjustable leg extensions)			
Minimum	22"	558 mm	
Maximum	28 1/2"	723 mm	
<b>Machine Speed:</b> Up to 15 cases per minute, depending on operator proficiency and products packed.			
<b>Machine Weight:</b> 240 lbs			
<b>Shipping Weight:</b> 335 lbs			

## Construction


Welded, anodized aluminum frame  
Stainless steel covers, fasteners, and leg extensions  
Adjustable leg extensions  
All operating components fabricated from corrosion-resistant materials

## Air Requirements

.01 CF/cycle @ 80 PSI (6 bars)



TM



# BEST PACKAGING®

## WHY WE'RE THE BEST

Since 1997, we have been consulting, designing and implementing packaging solutions to offer the best for your operations. We represent a variety of equipment manufacturers, so as to ensure we're matching the right solution for your packaging needs. We only align ourselves with quality brands to make sure we are delivering the best value. It is our goal to provide the highest quality service to make your job easier and more productive.

Over 150 years of industrial experience, collectively.

We represent multiple brands and our analysis is unbiased. We can match the best systems with your needs based on the versatility of the job.


With preventative maintenance, operator training, and 24/7 support, we're with you every step of the way!

Steve Kudia, Owner of Best Packaging, serves on the ASTM committee. As part of a prestigious worldwide network of technical experts, he aims to make sure processes stay efficient by monitoring trends and educating customers on how they can improve their performance.

### Equipment We Sell & Service

- Stretch Wrappers
- Shrink Wrappers
- Tray and Case Loaders
- Tray & Case Erectors
- Corrugated Case Formers
- Conveyors
- Palletizers
- Robotics
- Strappers & Banders
- Much, much more!

 @BestPackagingInc

 @Best\_Packaging

 /Best-Packaging-Inc