

BEST PACKAGING



**Certified Refurbished
3M-Matic™ 700rks
Adjustable Case Sealer**

**Best Packaging Inc
(888) 930-BEST
BestPackaging.com**

Certified Refurbished 3M-Matic™ 700rks Adjustable Case Sealer

The 3M-Matic™ 700rks is a large format, fully automatic top and bottom random case sealer, meaning that it works with large packages, seals both top and bottom flaps, automatically adjusts to your box size, and requires minimal operator assistance once in motion. The 700rks “King Size” case sealer was designed with several features that are unique and/or proprietary to the manufacturer.

FEATURES

- High capacity tape roll drum mounted to frame using dual masts
- 3M AccuGlide™ II tape head with steel cutting blade can be used with 2”-3” (48-72 mm) pressure sensitive tape
- Dual gear motors on top and bottom drive belts capable of advancing cases as much as 85 lbs (38 kg)
- Pneumatic packing station holds empty cases for manual filling and centers automatically prior to sealing
- Centrally located latching emergency stop switch arrests motion on upper and lower box drive belts

BOX REQUIREMENTS

Style: Regular slotted container (RSC)

Bursting test: 125-275 lbs per sq. inch single or double wall, B or C flute

BOX CAPACITY IN INCHES (MM)				
	Length	Width	Height	Weight
Minimum	6” (150 mm)	7” (178 mm)	4.75” (121 mm)*	5 lbs (2.3 kg)
Maximum	Unlimited	25.5” (648 mm)	35.8” (909 mm)	85 lbs (38 kg)

* For heights below 4.25” (110 mm) taping heads must be adjusted to apply 2” (50 mm) tape leg lengths

The 3M-Matic™ 700rks top and bottom drive belt random case sealer can accommodate most boxes within the size range listed above, however, if ratio of:

$$\frac{\text{Box Length}}{\text{Box Height}}$$


is less than .5, boxes should be test run to assure proper machine performance.


MACHINE SPECIFICATIONS

	Tape Size	Machine Weight	W	L	T	H	A	B	C**	F	Electrical	Operating Rate	Drive Belt Speed	Pneumatic
Minimum	2” (48 mm)	430 lbs (194 kg)	37.40” (950 mm)	46.46” (1180 mm)	64.17” (1630 mm)	62” (1575 mm)	17.72” (450 mm)	24.02” (610 mm)	4.75” (121 mm)	30.71” (780 mm)	120V 60Hz 6A 720 watts 8’ cord	Up to 19 packages per minute	100 fpm (.05 m/s)	85 PSIG 2.5 SCFM compressed air supply
Maximum	3” (72 mm)					87.4” (2220 mm)		35.04” (890 mm)						

The detail of the product(s), descriptions or specifications (for example weight, color, size, etc.) are only approximate values based upon a “standard model” of the representative product(s)/feature(s). There may be slight variations in the actual product design, dimensions, and functionality as compared to the information shown on our website and/or any supplementary product documentation, including but not limited to product brochures and spec sheets.

Certified Refurbished 3M-Matic™ 700rks Adjustable Case Sealer





BEST PACKAGING®

WHY WE'RE THE BEST

Since 1997, we have been consulting, designing and implementing packaging solutions to offer the best for your operations. We represent a variety of equipment manufacturers, so as to ensure we're matching the right solution for your packaging needs. We only align ourselves with quality brands to make sure we are delivering the best value. It is our goal to provide the highest quality service to make your job easier and more productive.

Over 150 years of industrial experience, collectively.

We represent multiple brands and our analysis is unbiased. We can match the best systems with your needs based on the versatility of the job.

With preventative maintenance, operator training, and 24/7 support, we're with you every step of the way!

Steve Kudia, Owner of Best Packaging, serves on the ASTM committee. As part of a prestigious worldwide network of technical experts, he aims to make sure processes stay efficient by monitoring trends and educating customers on how they can improve their performance.

Equipment We Sell & Service

Stretch Wrappers

Shrink Wrappers

Tray and Case Loaders

Tray & Case Erectors

Corrugated Case Formers

Conveyors


Palletizers


Robotics

Strappers & Banders

Much, much more!

 [@BestPackagingInc](#)

 [@Best_Packaging](#)

 [/Best-Packaging-Inc](#)